



fit-PC2i

Where a fat PC doesn't fit

The ultimate micro-PC is here! You can use it in many applications where a traditional PC doesn't fit in. It is small, noiseless and consumes less power than an energy-saving lamp. It is built in an aluminium case and contains an industry-quality embedded CPU-board. All components are soldered for maximum reliability.

The best of both worlds!

fit-PC2i is available with either the user-friendly Ubuntu Linux, fully loaded with Open Source software, with Windows XP Home Edition or Windows 7 for those who prefer Windows. It is also available without harddisk, perfect to use as a Thin Client in a network, or if you want to add your own harddisk/Flashdisk for special applications.

KEY FEATURES

- Full-featured PC, tiny and power saving
- Intel Atom Z530 CPU @ 1.6 GHz
- Intel US15W chipset
- 1 GB DDR2, (2 GB option)
- 4GB SSD (flash disk option)
- 160GB SATA harddisk, easily upgradeable
- DVI display interface, up to 1920x1080.
- HD Audio, line-out 2.0 / mic in / line-in
- Two 1000Mb/s Ethernet ports
- 802.11g WiFi
- Four USB 2.0 ports
- RS-232 serial port (May/June 2010)
- miniSD socket
- Phoenix BIOS
- Single 12V supply, 6W, fanless operation
- Dimensions - 115 x 101 x 27mm
- Wake on Lan (May/June 2010)

SOFTWARE

- Ubuntu Linux 8.04
- Windows XP Home SP3
- Windows 7 Professional Edition

APPLICATIONS

- Diskless Workstation
- 24/7 Mini server
- Signage controller
- Library-school computer
- Navigation in boat or car
- Multimedia server
- Industrial controller
- Firewall

www.systemtech.se

System Technology Sweden AB
Box 304
581 02 LINKÖPING

E-post:
Telefon:
Fax:

sales@systemtech.se
013 - 35 70 30
013 - 14 05 30

| On/Off | Mini SD | RS232 | 2 X USB |



| Power | WLAN | S/PDIF line-out | Eth1 | Eth2 | MIC line-in | 2X USB | Reset | DVI | HDD Bay |

Hardware

CPU: Intel Atom Z530 1.6GHz

Chipset: Intel US15W SCH

Memory: 1GB - 2GB DDR2 on-board

Graphics: Intel GMA500 (resolution up to 1920*1200) with HW video acceleration 1080p

Storage

HDD: Uppgradeable 160GB SATA HDD
mini SD socket
On-board 4GB Flash disk

Power

Input: DC12V (9V to 15V tolerant)

Adapter: AC 100V-240V, 50-60Hz

Operating systems

Windows XP Home with Cyberlink Codecs
Ubuntu Linux 8.04
Windows 7 Professional
Other operating systems can be installed by user

I/O

Display: DVI / HDMI connector

Audio: S/PDIF 5.1 via COAX line-out, line-in, mic-in

LAN: 2 x Gigabit Ethernet

WLAN: 802.11g

4 USB 2.0 ports

Dimensions

H x W x L
27 x 115 x 101 mm



System Technology Sweden AB är ett svenskt agenturföretag som levererar PC-baserad mätteknik inom områden som utveckling, utprovning, produktion, underhåll och processtyrning.

System Technology Sweden AB
Box 304
518 02 Linköping
Tel: 013-35 70 30
Fax: 013-14 05 30
E-post: sales@systemtech.se

